




This medium weight, non-woven polyamide breather is used for high temperature cycles with high pressure. It offers good elongation and avoids any sharp radius for vacuum bag protection conducting away volatiles at pressures exceeding 7bars. The material can be used with all resin systems. This breather is reusable.



TECHNICAL DATA	VALUE
Material	Polyamide 6.6
Weight	440 g/m <sup>2</sup>
Recommended curing pressure*	< 7 Bar
Maximum use temperature*	230°C
Color	White
Fibre thickness	17dtex

**STORAGE**

Shelf life: unlimited

Storage conditions: store at 10–30°C in original packaging, shielded from direct sunlight and heat sources.

**NOTES**

Other widths are available on special order.

\* Maximum use pressure and temperature should be determined under your actual process conditions.

Technical values are provided to the best of our knowledge and are based on data considered reliable. Users are responsible for verifying suitability and assume all associated risks.