

MATERIAL SAFETY DATA SHEET

SK2VF220-1
Vacuum Film

▶ SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Name of product: SK2VF220-1
Article: Vacuum Film

Company name: STEVIK SAS
Street/POB No.: 10, rue de la Grande Ourse
State/city/postal code: FR-95800 Cergy
Telephone: +33130329326
Telefax: +33970069650
E-mail: sales@stevik.fr
Description: Polyamide Film

▶ SECTION 2: HAZARDS IDENTIFICATION

INGREDIENT NAME:	CAS#	Weight %
Adipic Acid - hexamethylenediamine caprolactam copolymer (Non hazardous)	24993-04-2	Proprietary
Trans. Blue	Mixture	Proprietary

Trace impurities and additional material names not listed above may also appear in the Regulatory Information section 15 towards the end of the MSDS. These materials may be listed for local "Right to Know" compliance and for other reasons.

▶ SECTION 3: INGREDIENTS

EMERGENCY OVERVIEW: A blue plastic film. Not considered hazardous under normal usage. Can release irritating and/or toxic vapors if involved in a fire.

POTENTIAL HEALTH HAZARDS:

SKIN: Not considered hazardous.

EYES: Not considered hazardous.
May cause mechanical irritation if film comes into contact with the eye.

INHALATION: Not a route of exposure under normal usage.
Elevated processing temperatures may release irritating vapors.


INGESTION: Not a route of exposure. Not considered hazardous.

DELAYED EFFECTS: None known.

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT NAME:

The above information provided on the hazardous additive/pigment applies to it in the pure, dry form. The form of the additive provided to you is encapsulated in plastic at a significantly reduced level. Therefore, the likelihood of exposure is much less, even to the point of negligible. We consider the level of hazard, therefore, to be negligible.



MATERIAL SAFETY DATA SHEET

SK2VF220-1
Vacuum Film

▶ SECTION 4: FIRST AID MEASURES

SKIN:	None needed.
EYE:	None needed under normal usage. If material comes into contact with the eye, flush eye with water while holding eyelids apart to ensure complete irrigation.
INHALATION:	None needed under normal usage. If exposed to vapors at elevated processing temperatures, remove to fresh air.
INGESTION:	None needed.
ADVICE TO PHYSICIAN:	None.

▶ SECTION 5: FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

FLASH POINT:	Not applicable.
FLASH POINT METHOD:	None applicable
AUTOIGNITION TEMPERATURE:	Not determined.
UPPER FLAME LIMIT (Volume % in air):	Not applicable. Non-volatile solid.
LOWER FLAME LIMIT (Volume % in air):	Not applicable. Non-volatile solid.
FLAME PROPAGATION RATE (Solids):	Not determined.
OSHA FLAMMABILITY CLASS:	Not determined.

EXTINGUISHING MEDIA:

Carbon dioxide, dry chemical foam, water or other agents as appropriate from materials in surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Molten film at higher temperatures can ignite and will burn.

SPECIAL FIREFIGHTING PRECAUTIONS/INSTRUCTIONS:

Wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus and full protective clothing.

▶ SECTION 6: ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE:

Always wear recommended personal protective equipment.
Collect and place in a solid waste container.

Spills and releases may have to be reported to Federal and/or local authorities. See the Regulatory Information Section 15 regarding reporting requirements.

▶ SECTION 7: HANDLING AND STORAGE


NORMAL HANDLING:

(Always wear recommended personal protective equipment.)

This product should be handled according to applicable Good Manufacturing Practices.

STORAGE RECOMMENDATIONS:

Store in a cool, dry area away from direct heat or sunlight. Keep away from pesticides, PCBs and other hazardous chemicals.



MATERIAL SAFETY DATA SHEET

SK2VF220-1
Vacuum Film

▶ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

General room ventilation plus local exhaust at points of fume generation to maintain exposure below the PEL/TLV exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

SKIN PROTECTION:

Not normally required. Use heat resistant gloves if handling melted material.

EYE PROTECTION:

As a general practice in manufacturing areas, safety glasses that conform to ANSI Z87.1 should be worn.

RESPIRATORY PROTECTION:

Under normal usage, not normally required. A NIOSH/MSHA approved respirator should be worn in areas where the PEL/TLV is exceeded.

ADDITIONAL RECOMMENDATIONS:

None.

EXPOSURE GUIDELINES:

INGREDIENT NAME	ACGIH TLV	OSHA PEL	OTHER LIMIT
-----------------	-----------	----------	-------------

** = Workplace Environmental Exposure Level (AIHA).

*** = Biological Exposure Index (ACGIH).

OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

None

▶ SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Blue plastic film.

PHYSICAL STATE:

Solid.

ODOR:

None

SPECIFIC GRAVITY (Water = 1.0):

1.12-1.14

SOLUBILITY IN WATER (Weight %):

Negligible.

pH:

Not applicable.

BOILING POINT:

Not applicable.

MELTING POINT:

245-250°C

VAPOR PRESSURE:

Negligible at room temperature.

VAPOR DENSITY (Air = 1.0):

Not determined.

EVAPORATION RATE:

Not applicable.

COMPARED TO:

Not applicable.

% VOLATILES:

Negligible

FLASH POINT:


Not applicable.

(Flash point method and additional flammability data are found in Section 5.)

▶ SECTION 10: STABILITY AND REACTIVITY

NORMALLY STABLE (CONDITIONS TO AVOID):

Normally stable. Avoid exposure to open flame or temperatures exceeding recommended processing temperatures.



MATERIAL SAFETY DATA SHEET

SK2VF220-1
Vacuum Film

INCOMPATIBILITIES: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition products may include: carbon monoxide, carbon dioxide, ammonia, hydrogen cyanide, nitrogen oxides, hydrogen chloride, and hexachlorocyclopentadiene.

HAZARDOUS POLYMERIZATION: Will not occur.

▶ SECTION 11: TOXICOLOGICAL INFORMATION

IMMEDIATE (ACUTE) EFFECTS: Not determined.

DELAYED (SUBCHRONIC & CHRONIC) EFFECTS: None known.

OTHER DATA: None.

▶ SECTION 12: ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic.

▶ SECTION 13: DISPOSAL CONSIDERATIONS

RCRA: Is the unused product a RCRA hazardous waste if discarded No.

If yes, the RCRA ID number is: Not applicable

OTHER DISPOSAL CONSIDERATIONS: Dispose of in compliance with Federal, state and local government regulations. Usually considered an inert packaging material that can be recycled or land filled.

The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

▶ SECTION 14: TRANSPORT INFORMATION


US DOT HAZARD CLASS: Not regulated.

US DOT ID NUMBER: Not applicable.

For additional information on shipping regulations affecting this material, contact the information number found on the first page.

▶ SECTION 15: REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA):



MATERIAL SAFETY DATA SHEET

SK2VF220-1
Vacuum Film

TSCA INVENTORY STATUS: All components used to produce the above formulation are listed on the TSCA Inventory.

OTHER TSCA ISSUES: None

SARA TITLE III/CERCLA: "Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

INGREDIENT: SARA/CERCLA RQ (lb): SARA EHS TPQ (lb):
* No ingredients listed in this section.*

Spills resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (1-800-424-8802) and to your Local Emergency Planning Committee.

SECTION 311 HAZARD CLASS: None.

SARA 313 TOXIC CHEMICALS: The following ingredients are SARA 313 "Toxic Chemicals". CAS #'s and weight percents are found in Section 2.

INGREDIENT COMMENT
* No ingredients listed in this section*

STATE RIGHT TO KNOW:

In addition to the ingredients found in section 2, the following are listed for state right-to-know purposes:

INGREDIENT: WT. %: COMMENT:
None listed in this section

▶ SECTION 16: OTHER INFORMATION

The information contained herein is based on our knowledge at the date above and refer only to product indicated and constitutes no guarantee of particular quality.

User is responsible for determining whether the STEVIK product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a STEVIK product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the STEVIK product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

This sheet cancels and replaces any previous edition.