# VIK-COMPOSITE VIK-COMPOSITE

### **MATERIAL SAFETY DATA SHEET**

SK2AT205-1, 2, 3, 4

Adhesive tape

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Name of product: SK2AT205-1, 2, 3, 4 Article: Adhesive Tape

Company name: VIK-Composite Street/POB No.: 11, Carl-Zeiss-Str.

State/city/postal code: GER – Waldstetten 73550
Telephone: +49 7171 874 2923
Telefax: +49 7171 874 2924
E-mail: sales@vik-composite.com
Description: Pressure Sensitive Tape

#### SECTION 2: HAZARDS IDENTIFICATION

All components are considered non-hazardous.

#### SECTION 3: INGREDIENTS

Substrate: Polyester film

Adhesive Type: Silicone based adhesive

#### SECTION 4: FIRST AID MEASURES

Emergency and first aid procedures: None. No hazards are expected in normal use.

Skin contact: In case of irritation remove residues by washing out with water

and soap. If necessary contact physician.

Eye contact: Not applicable. Ingestion: Not applicable.

#### SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Any type of fire extinguishing media can be used: water, carbon dioxide, dry

chemical.

Special firefighting procedures: None known.

Auto-Ignition temperature: N/A

Protection of fire fighters: Use self-contained breathing apparatus and personal protective equipment

when fire occurs in a confined area. The use of a solid water jet to tackle fire is not recommended in the early stages of the fire as this might help to spread

the flames.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is spilled or released: NA. The material is a solid.

#### SECTION 7: HANDLING AND STORAGE

Steps to be taken in case material

is released or spilled: None.

Waste disposal method: In according with all local, State and federal laws

waste

Precautions by handling and storing: Store in cool dry place by T=20°C (+/- 5°C).

## VIK-COMPOSITE

### **MATERIAL SAFETY DATA SHEET**

SK2AT205-1, 2, 3, 4

Adhesive tape

#### ► SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Hand protection:

Eye protection:

Respiratory protection:

Not necessary for normal use.

Work/hygienic practices: This product requires no special precautions. Use normal personal hygiene

and good housekeeping when handling this material.

#### ► SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (Non-volatile-solid):

Vapor (mm Hg):

Vaport Density (Air=1):

Not applicable.

Not applicable.

Solubility in water: Not in appreciable quantities

Special Gravity (H2O=1):

Melting Point:

Evaporation Rate (Butyl Acetate=1):

Appearance and order:

Not applicable.

Not applicable.

Blue, green, no order

#### SECTION 10: STABILITY AND REACTIVITY

Stability: Stable. Conditions to avoid: None.

Incapability (Materials to avoid): Contact with oxidizing agents.

Hazardous decomposition of byproducts: None known Hazardous polymerization: Will not occur.

#### ► SECTION 11: TOXICOLOGICAL INFORMATION

No risks under normal handling.

#### SECTION 12: ECOLOGICAL INFORMATION

NA.

#### SECTION 13: DISPOSAL CONSIDERATIONS

NA.

#### SECTION 14: TRANSPORT INFORMATION

No limitation for the transport.

#### SECTION 15: REGULATORY INFORMATION

NA.

## VIK-COMPOSITE

## **MATERIAL SAFETY DATA SHEET**

SK2AT205-1, 2, 3, 4

Adhesive tape

#### **▶ SECTION 16: OTHER INFORMATION**

The information contained herein is based on our knowledge at the date above and refer only to product indicated and constitutes no guarantee of particular quality.

User is responsible for determining whether the VIK-Composite GmbH product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a VIK-Composite GmbH product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the VIK-Composite GmbH product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

This sheet cancels and replaces any previous edition.