



### ▶ SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Name of product: SK2ST205-1, 2, 3  
Article: Sealant Tape

Company name: VIK-Composite GmbH  
Street/POB No.: Carl-Zeiss-Str. 11  
State/city/postal code: Germany, Waldstetten 73550  
Telephone: +49 7171 8742923  
Telefax: +49 7171 8742924  
E-mail: [sales@vik-composite.com](mailto:sales@vik-composite.com)  
Description: Sealant Tape

### ▶ SECTION 2: HAZARDS IDENTIFICATION

No hazardous preparation

### ▶ SECTION 3: INGREDIENTS

Hazardous ingredients

Composants	Symboles	Risques	N°EINECS	N° CAS	Concentration
Calcium	Xi Irritating	R41 : Risk of serious damage to eyes.	213-138-9	1305-78-8	1 < C < 5%
Zinc oxyde	N - Dangerous for the environment	R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	215-222-5	1314-13-2	1 < C < 5%

### ▶ SECTION 4: FIRST AID MEASURES

Skin: Wash skin with plenty of soap and water  
Eyes: Wash eyes with plenty of water  
Ingestion: Do not induce vomiting  
Get medical aid

### ▶ SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Water spray, carbon dioxide (CO<sub>2</sub>).  
Use water spray to cool fire exposed containers.

Protective equipment: Wear self-contained breathing apparatus to prevent contact with thermal decomposition product (CO<sub>x</sub>; NO<sub>x</sub>...)

### ▶ SECTION 6: ACCIDENTAL RELEASE MEASURES

Elimination: Collect the product with a spatule. (see § 13)  
This material and its container must be disposed of in a safe way

### ▶ SECTION 7: HANDLING AND STORAGE

Manipulation: Wash after handling.  
Storage: Store in a cool, dry, well-ventilated area.



# MATERIAL SAFETY DATA SHEET

## SK2ST205-1, 2, 3 Sealant Tape

### ▶ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits:	None
Personal protective equipment:	Not necessary
Respirators:	In case of insufficient ventilation, wear suitable respiratory equipment.
Skin:	Wear appropriate protective gloves when using product.
Eyes:	Wear appropriate protective eyeglasses when using product.

### ▶ SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color:	White, Grey, Yellow
pH:	Not available
Flash Point:	Not available
Temperature of decomposition :	> 250°C
Density:	1,5
VOC rate:	0 g/L

### ▶ SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal temperatures and pressures
Hazardous decomposition product:	Thermal decomposition product (COx; NOx...)

### ▶ SECTION 11: TOXICOLOGICAL INFORMATION

No known toxic effect.

### ▶ SECTION 12: ECOLOGICAL INFORMATION

Not available.

### ▶ SECTION 13: DISPOSAL CONSIDERATIONS

Elimination: Dispose of this material and its containers to hazardous or special waste point.

### ▶ SECTION 14: TRANSPORT INFORMATION

No limitation for the transport. No restriction (ADR ; RID ; IMDG)

### ▶ SECTION 15: REGULATORY INFORMATION

Symbol:	None
Phrases R:	None
Phrases S:	None

Dispose of in a manner consistent with federal, state and local regulations.



# MATERIAL SAFETY DATA SHEET

## SK2ST205-1, 2, 3 Sealant Tape

### ▶ SECTION 16: OTHER INFORMATION

The information contained herein is based on our knowledge at the date above and refer only to product indicated and constitutes no guarantee of particular quality.

User is responsible for determining whether the VIK-Composite GmbH product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a VIK-Composite GmbH product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the VIK-Composite GmbH product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

This sheet cancels and replaces any previous edition.