

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Name of product: Article: SK2TR000-2 Cleaner

Company name: Street/POB No.: State/city/postal code: Telephone: Telefax: E-mail: Description: VIK-Composite Carl-Zeiss-Str. 11 Germany, Waldstetten 73550 +49 7171 874 2923 +49 7171 874 2924 sales@vik-composite.com Solvent-based cleaner

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2	H226	Flammable liquid and vapour.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H336	May cause drowsiness or dizziness.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
Aquatic Chronic 2 H411		Toxic to aquatic life with long lasting effects.

2.2 Label elements. Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

Terpene Propan-2-ol

Hazard statements

- H225 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements



P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGRIDIENTS

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

CAS: 8028-48-6 Terpene	>50%		
EINECS: 232-433-8 🚸 Flam. Liq. 3, H226; 🗞 Asp. Tox. 1, H304; 🚸 Aquatic Chronic 2, H411; 🚸 Skin Irrit. 2, H3 Skin Sens. 1, H317	15;		
CAS: 67-63-0 propan-2-ol	20-50%		
EINECS: 200-661-7 🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336			
CAS: 96-48-0 Dihydro-2(3H)-furanon	1-2.5%		
EINECS: 202-509-5 🚸 Acute Tox. 4, H302; Eye Irrit. 2, H319			
Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact: If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



MATERIAL SAFETY DATA SHEET

SK2TR000-2 Cleaner

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Wear protective clothing.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.



MATERIAL SAFETY DATA SHEET

SK2TR000-2 Cleaner

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Information about storage in one common storage facility: Do not store together with textiles.

Further information about storage conditions:

Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self- contained respiratory protective device.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles



Body protection: Protective work clothing



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties General Information Appearance: Form: Fluid Colour: Colourless Odour: Characteristic Odour threshold: Not determined.

pH-value: Not determined.

Change in condition: Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 90 °C

Flash point: 26 °C
Flammability (solid, gas): Not applicable.
Ignition temperature: 190 °C
Decomposition temperature: Not determined.
Auto-ignition temperature: Product is not selfigniting.
Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits: Lower: 0.7 Vol % Upper: 12 Vol %

Vapour pressure at 20 °C: 43 hPa

Density at 20 °C: 0.83 g/cm3 Relative density: Not determined. Vapour density: Not determined. Evaporation rate: Not determined.

Solubility in / Miscibility with water: Fully miscible. Partition coefficient: n-octanol/water: Not determined.

Viscosity: Dynamic: Not determined. Kinematic: Not determined.

Solvent content: Organic solvents: 99.0 %

9.2 Other information: No further relevant information available.



SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions: Reacts with strong acids and alkali.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

8028-48-6 Terpene

Oral LD50 >5,700 mg/kg (Ratte) Dermal LD50 >5,000 mg/kg (Ratte) >2,000 mg/kg (rbt)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
Other information: The product is biodegradable.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Toxic for fish
Additional ecological information:
General notes:



Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms **12.5 Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. **12.6 Other adverse effects** No further relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Recommendation
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Uncleaned packaging:
Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: TRANSPORT INFORMATION

14.1 UN-Number ADR, IMDG, IATA 14.2 UN proper shipping name ADR

UN1993

IMDG, IATA

1993 FLAMMABLE LIQUID, N.O.S. (not viscous) (ISOPROPANOL (ISOPROPYL ALCOHOL), Terpene) FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), Terpene)

14.3 Transport hazard class(es)

ADR

Class Label 3 Flammable liquids

IMDG, IATA



Class3 FlammLabel314.4 Packing groupIIIADR, IMDG, IATAIII

3 Flammable liquids.3

14.5 Environmental hazards: Marine pollutant: Special marking (ADR):

No Symbol (fish and tree) **MATERIAL SAFETY DATA SHEET**



SK2TR000-2 Cleaner

Warning: Flammable liquids. 30 F-E, <u>S-E</u> A Not applicable.
5 L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E
5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Directive 2012/18/EU Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Technical instructions (air): <u>Class Share in %</u> NK > 50 Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The information contained herein is based on our knowledge at the date above and refer only to product indicated and constitutes no guarantee of particular quality.

User is responsible for determining whether the VIK-Composite GmbH product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a VIK-Composite GmbH product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the VIK-Composite GmbH product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Relevant phrases

H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour



H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

This sheet cancels and replaces any previous edition.