











TECHNICAL DATA SHEET

Available perforations Release film

Perforation	Ø Hole	X (Width direction)	Y (Roll direction)	Type	Open area
PA	1,14mm	6,35mm	6,35mm	staggered	1,27%
PB	1,14mm	6,35mm	12,70mm	staggered	0,63%
PC	0,38mm	6,35mm	6,35mm	staggered	0,14%
PD	0,50mm	3,57mm	7,00mm	staggered	3,45%
PE	0,50mm	7,14mm	14,00mm	staggered	0,86%
MP	0,15mm	2,00mm	2,00mm	staggered	0,22%
MU	0,09mm	4,00mm	2,00mm	staggered	0,078%
PF	1,14mm	50,8mm	50,8mm	staggered	0,04%
PG	0,38mm	203mm	203mm	straight	0,0003%
PH	1,14mm	89mm	89mm	staggered	0,013%
PI	0,38mm	76mm	76mm	staggered	0,0019%
PJ	0,4mm	5mm	10mm	staggered	0,126%
PK	0,6mm	3,5mm	2,5mm	staggered	1,616%
PL	0,3mm	3,5mm	2,5mm	staggered	0,404%
PM	0,38mm	500mm	500mm	straight	0,00045%





TECHNICAL DATA SHEET

Available perforations Release film

