



DESCRIPTION

SK2TR000-5 is a solvent-based, fast evaporating 'heavy duty' cleaner, used to clean working tools and surfaces during the processing of polyester and epoxy resin systems. This cleaner is especially suited for the removal of silicone containing polish residues on parts, which will be varnished or glued afterwards. An additional use is the removal of sealing compounds and release agents.

This product is used in various manufacturing processes of parts made of composite materials.

APPLICATION

SK2TR000-5 is suited for cleaning of working tools and surfaces as well as for mould preparation in the field of composite industry. Dip or spray the objects to be cleaned into SK2TR000-5. After the cleaner has penetrated the surface for a couple of minutes, simply wipe it off. Instead of dipping the objects into SK2TR000-5, it may as well be applied with a brush or cloth. Remains of the cleaner can easily be removed with a dry cloth.

TECHNICAL DATA	VALUE
Appearance:	Colourless liquid
Composition:	Mixture of solvents
Density [g/cm3]:	Approx. 0.84
Flash Point [°C]:	4°C

PACKAGING TYPE	NET WEIGHT
Canister	5 L (4,2 kg)

STORAGE

The product should be stored in tightly sealed containers and has to be protected from frost, heat and direct sunlight. If these rules are obeyed, the product can be stored for at least 24 months.